



We connect your Clean Room

BizLink is your reliable partner in the development and manufacturing of tailor-made cables, and your knowledge center for sophisticated connection technology for clean room applications.







Numerous industry branches and application types increasingly require clean and largely particle-free components and systems.

BizLink delivers clean room cable for manufacturing areas and fulfils all requirements up to Air Cleanliness Class 1. Various solutions also fulfils all requirements which are needed in ultra high vacuum environment.

Applications >

- Semiconductor industry
- Display industry
- Optical industry
- Metrology
- Aerospace technology
- Micro- and nanostructure technology
- Packaging technology
- Drag chain applications
- Drag less applications

Cabel approvals >

- Due to our stict quality management all clean room cables can be tested as follows, depending on customer requirements >
- IPA certified ISO 14644-1 (e.g. HPF: EBK 41627)
- High vacuum (RGA) ISO 14644-15
- UL/CSA certification
- Low outgassing test at ChemTrace

Product range

- > Flat cable
- > Miniature cable
- > Round cable
- > Hybrid cable
- > Coaxial cable

- > Single wires
- > Power cables
- > Data cables
- > Cable assemblies & systems

Manufacturing for Special Cleanliness Grades

Our experienced Engineering team designs cables for varying grades

of cleanliness based on our customers purity requirements.

> Prototyping

Low emission
Outgassing
approved

Low particle emission Fraunhofer IPA approved Long lifetime
BizLink test
center

elocab machinery-sensors.bizlinktech.com

Each application is analyzed by our engineers to better understand specific requirements. BizLink uses selected products for outstanding customization, when specific elements are required.


BizLink stands for high quality and high standards.

In addition to elective external certifications, such as ChemTrace and Fraunhofer IPA, all elocab clean room cables are manufactured and tested according to our strict clean room specifications.

For the Semiconductor and Display market, BizLink installed a clean room footprint of over 2000 m² with different cleanliness grades in accordance with ISO 14644-1 class 5–9.

This independent footprint enables the prevention of cross-contamination of forbidden materials in this industry and ensures not only a climate-friendly environment for the production of clean room application cables and cable systems but also health-friendly production for our employees.

2/BizLink/3



Special Sheathings for Special Applications

elocab clean cables are equipped with special sheathing materials that are ideally suited for cleanliness-critical applications due to their high abrasion resistance and low particle emission.

Full Service for You - Custom Engineered

The intONE™ team is dedicated to being your full service solution provider for your next project!

What does this mean >

You will benefit from BizLink's extensive knowledge and experience in cable and systems engineering. We will work hand-in-hand with your engineering team and combine our knowledge into one turnkey solution tailor-made for you.

This means >

You and your engineers can focus on developing the core technology of your application - leave the rest to us. BizLink will be your partner throughout the entire lifecycle of your project to help you bring your concept to reality.

Tailor made complete intONE™ product offering > Your cable assembly partner

- Complete cable assembly consultation
- CAD 3D models ready to be integrated into your equipment design
- 3D mapping of the cable assembly routing within your product
- Engineered design with bill of materials and specifications
- Component identification, selection and qualification
- Full project management services


- Rapid prototyping with less than four weeks turnaround times (based on available material and design complexity)
- Increased speed to market
- Intelligent cable technology and digitalization of your cable
- 3D modelling of molded connectors, strain reliefs, grommets, ...
- Unique logistical service to assist in production volume sourcing
- Industry leading bulk cable minimum order of 300 ft /100 m



4/BizLink BizLink/5







elocab Round Cable

for fixed or flexible applications, BizLink's reliable and rugged elocab products are adapted to your requirements.



elocab Infrastructure Cables

The cables are manufactured, clean room packaged and assembled in an extremely clean factory under strict clean room conditions. All clean room cables are subjected to several cleaning steps and strict controls right up to shipment. Contamination with forbidden materials is eliminated during manufacturing.

elocab Clean Room Round Cables for flexible use


- Optimized for comfortable installation
- Special low outgassing jacket material with improved mechanical strength
- Cables bundles up to 60 meters for easy cleanroom installation
- Lowest industry standard outgassing
- Optimized dimensions
- EMI robust

elocab Vacuum Cables

- Emission-free materials
- Usable for low-particle production
- Exceptionally high degree of cleanliness in production
- Usable in ultra high vacuum environment
- Minimize of magnetic field disturbances

elocab Infrastructure Cables

- Multi power cable: 0.5 240 mm²
- Multi signal cable
- Data cable Cat 5e Cat 7
- Lowest outgassing for Air Cleanliness Class 1 (tested at CHEMTRACE laboratory)
- Optimized cable diameters



and approved material for ISO Class 1 clean room. These cables are the reliable choice to decrease downtime.

- Tight bend radii from 25 to 150 mm (7.5 times the cable's height).
- Trackless solutions up to 1500 mm
- Proprietary clock spring design (reducing cable stress when rotating in the arm joint)
- Outer jacket made of low friction PTFE-tape
- High speed data and signal transmission
- Space saving design
- Engineering feedback resulting in design optimization of moved machine parts
- Tailor-made solutions including custom designed brackets and clamps for fixture in application

Rolling Flex Diagram Fixed clamp Stroke length

8/BizLink BizLink/9 elocab high performance flex cables & cable solutions

Maximum reliability and flexible use up to 150 million cycles



elocab flexible sleeve technology & cable solutions

Reliability and flexible use up to 10 million cycles



> Product specification - elocab high performance flex technology

Superior flexibility	Up to 150 million cycles at tight bending radii (7.5 times the cable height)			
Unlimited options	BizLink can design any component that you require			
Superior performance	Optimized system performance with custom HPF cable assemblies			
Laminated designs	Custom made for high end systems requiring higher accelerations and application speeds			
Custom components	Special conductor materials, optimized layout and unique insulation materials			
Hybrid Designs	Include custom coaxial signal wires, power and control wires, optical fibers, tubes and other components			
Low weight	Permits high positioning speeds and accuracy			
Complete cable assemblies	Including mechanical and electrical components			
Prototype orders	300 ft / 100 m for new custom designs			
Web spacing	Can be defined in order to optimize overall cable width – zero web up to 2.5 mm webs possible			
Typical copper used	Bare, silver plated copper in high strand counts as well as high strength copper alloys			
Acceleration	Up to 45 m/s ²			
Speed of travel	> 3 m/s			
Cable width	15 – 150 mm			
Typical # of cables stacked	Up to 5 cables in one clamp – depending on design more cables can be stacked			
Clean room class	IPA Air Cleanliness Class 1 (highest class possible)			
Temperature range for optimal flex life	20 °C - 80 °C / 68 °F - 176 °F			
Certifications	UL & CE			
Self supporting design option	Up to 75 cm / 30 inches (depending on cable design)			


> Product specification - elocab flexible sleeve technology

10 million cycles and beyond
Typical bending radius approximately 75 mm if only standard components are used
Set of readily available standard components
Standard web spacing of 1 mm – 2 mm
Bare and silver plated copper, Class 5 stranding or better
Up to 30 m/s ²
Up to 3 m/s
22 – 127 mm
Ranging from 2 – 10
IPA Air Cleanliness Class 1 (highest class possible), ISO 14644-1
20 °C - 80 °C / 68 °F - 176 °F
UL & CE
Strength members that allow for 150 cm / 59 inches of supported free travel

10/BizLink

elocab Clean Room Product Range

We listen closely to our customers to ensure we deliver cables and systems meeting and exceeding their expectations. Bulk Cable, assemblies and ready solutions packed for usage in a clean room are typical clean room solutions.





CleanLine-Fix

Customized round cable for clean room infrastructure, built with approved clean room compounds and developed for low outgassing.



CleanLine-Flex

Customized round cable for power supply, data transmission and air/fluid handling. Special clean room compounds are optimized for low abrasion in high-speed applications.



High Performance Flex

& Flexible Sleeve Technology

Customized PTFE flat cable (HPF) and modular system (FST) enable tight bend radii, maximum reliability and flexible use up to 150 million cycles.



High Performance Flex Vacuum

Customized PTFE flat cable for vacuum applications with unique low outgassing properties.



CleanLine-Vacuum

Customized round cable for ultra-high vacuum applications. The CleanLine-Vacuum cable fulfils all requirements for the lowest industry standard outgassing which is required for ISO 14644-15.



		CL-Fix	CL-Flex	HPF/FST	HPF-V	CL-V
Applications		CleanLine-Fix	CleanLine-Flex	High Performance Flex & Flexible Sleeve Technology	High Performance Flex Vacuum	CleanLine-Vacuum
	Die Attachment		✓	V		
Back End	IC Bonding Wire bonding, Thermosonic bonding, Flip chip, Wafer Bonding, Automated Tape Bonding		V	V		
Ba	IC Encapsulation Baking, Plating, Lasermarking, Trimming and Forming		V	~		
	Cleaning Solvent Cleaning, Piranha Solution, RCA clean		V	V	V	V
-	Lithography		✓	V	✓	V
Front End	Ion Implantation		✓	~	✓	V
ront	Etching		✓	✓	✓	V
L L	Deposition		✓	~	✓	V
	Planarization		✓	V	V	V
	Wafer Testing		✓	V	V	V
P	Line Loader		✓	/		
Surface Mounted Technology	Identification / Marking		✓	V		
Mou	Screen Printing		✓	V		
rface Mount Technology	Coating		✓	✓		
ourf. Te	In Circuit Test		✓	✓		
01	Line Unloader		✓	V		
S	Display Manufacturing		V	V	V	V
tion	Solar Panel		✓	V		
Special Applications	Clean Room Infrastructure	V	V	V		
Арр	Wafer Lift		V	V		
cial	Wafer Handling Robots		V	V	✓	✓
Spec	Waferstage		V	V	✓	✓
0,	Sensors		✓	V	V	✓

12/BizLink BizLink / 13

Testing (High Voltage)

BizLink offers cables and cable assemblies for test applications in clean rooms. Pioneers in semiconductor wafer inspection equipment already trust in our solutions. Our 20 kV high voltage cables with outer jacket made of low friction PTFE-tape have great performance during test procedures for Wafers. These systems test the connections of the Wafer by high voltage impulses.

Electron-Beam Lithography

Silicon direct write, compound semiconductor and Mask making are manufacturing processes with high technical and cleanliness requirements.

Our customer is the leader in designing and manufacturing of electron-beam lithography. They fulfill all these requirements with elocab clean room cables. The customized design of elcoab cables always are the specific solution which the customer needs.

Measuring Systems

BizLink's customer is a world market leader in multidimensional measuring technology and manufactures measuring systems for adjusting mirrors in lithographs. Therefore, BizLink delivers power, control and data cable assemblies.

The clean room round cables are optimized for comfortable installation and are equiped with special low outgassing jacket materials with improved mechanical strength. BizLink engineers customized cable bundles are good for up to 60 meters making it easy for clean room installation.

Etching Equipment

Leading SMT machinery manufacturer and partner to the worlds leading semiconductor companies trust in elocab clean room cables. Typical applications are front-end etching equipment. The laminated High Performance Flex Cables enable faster, more complex and precise etching equipment with a smaller footprint.

Cable for Wafer platform

elocab's High Performance Flat Cables fulfil requirements in challenging environments such as highly sensitive and precise movements. These often occur in semiconductor and display frontend and backend installations and planar platforms. High Performance Flat Cables are the ideal solution for step-and-scanapplications, wafer process control, structuring of wafers and laser-based heat treatment of wafers. Some leading suppliers for high precision and high dynamic motion technology now use this and trust in elocab solutions.

Wafer Handling Robots

World leader in vacuum robotics, electric motor technology and leading manufacturers of wafer handling equipment use elocab cables and cable assemblies for the full spectrum of wafer handling robotics. There are solutions for robotics for thin or bonded wafers and specialized wafer carriers. Robots for various uses around arc welding (including spot welding), handling, assembly, painting, transfer of liquid crystal panels, and transfer of semiconductor wafers are equipped with elocab clean room cables. Especially the laminated High Performance Flex Cables perfectly fit for these kind of applications.

14/BizLink

Further Clean Room Applications

Overview











elocab machinery-sensors.bizlinktech.com

Die Attach

Overview

BizLink offers cables and cable assemblies for bonding systems. Bonding is a key technology for manufacturing semiconductors. BizLink equips this machinery with highly flexible clean room cables. Best properties for speed, acceleration with lowest environment contaminations plus best EMV conditions BizLink combines with long flex life for less maintenance issues. Our customers are leading suppliers of semiconductor assembly equipment for the global semiconductor and electronics industries. we fulfil all requirements for flip chip bonding, wire bonding, die bonding, soft solder die bonding, multi module attach and laser bonding.

High Speed Camera

For high-speed cameras BizLink develops customized cables like a special GHz coax cable. This special GHz coax is an innovation to ensure important image transmission for position accuracy. The reliability was tested with more than 100 million flex cycles and had to pass harsh electromagnetic tests. A leading supplier of semiconductor assembly and packaging equipment for the global semiconductor and electronics industries uses this cables for high speed cameras for tracking and inspection imaging.

Pick & Place

For dispensing and pick and place production machines our drag less PTFE cable solution transport beside the important power and data as well bonding or molding substrate to the dies and PCBs. Our Air Cleanliness Class 1 approved solutions are perfect for the growing cleanliness standard of semiconductor and display production. Leading suppliers of high flexible SMT pick and place solutions with sophisticated dispenser systems trust in elocab tailormade High Performance Flex Cables.

Surface Mounting

BizLink offers cables and cable assemblies for surface mounting machinery.

These applications have special requirements for installed cables. BizLink perfectly meets the requirements regarding flexibility, lifetime and cleanliness.

Display Applications

The manufacturing processes of displays and wafers have very similar requirements to the semiconducter industry. This is the reason why elocab clean room cables perfectly fulfil the needs for both of these industries. Leading providers of process innovation technologies of photovoltaics, electronics and lithium-ion battery technology know this and use especially elocab High Performance Flex Cables. Optical inspection equipment for large flat panel displays, test cell and inspection equipment and production equipment e.g. laser glass cutting are just some examples in these market fields.

Infrastructure Cabling

Infrastructure cabling of power, signal and data interconnection is an important topic for semiconductor manufacturer. BizLink offers clean room cables for infrastructure cabling which have lowest outgassing for Air Cleanliness Class 1. Multi power cable from diameters of 0.5 mm² up to 240 mm², multi signal cable and data cable Cat. 5e – Cat. 7 are provided.


16/BizLink
BizLink

Close to Customers - Worldwide

Tailor-Made Products

About BizLink

Innovative. Reliable. Sustainable.



Japan Südkorea **Taiwan**

BizLink Footprints

Canada

China

Czech Republic Germany

Malaysia

Mexiko Slovakia

UK USA

Clean Room Cable locations >

for Tailor-Made Products

GERMANY

BizLink elocab GmbH

Obere Lerch 34 · 91166 Georgensgmuend · Germany T+49 9172 6980-0 smt@bizlinktech.com

CANADA

BizLink elocab Ltd.

258 McBrine Drive · Kitchener ON, N2R 1H8 · Canada T +1 519-893-1155 smt@bizlinktech.com

BizLink, founded in 1996, is headquartered in Silicon Valley, USA. Our mission is to make interconnection easier and to become the leading global interconnect solution supplier.

We support industries that are environmentally conscious and improve quality of life through providing essential components, wire harnesses, and cables to a wide variety of industries such as IT Infrastructure, Client Peripherals, Optical Fiber Communications, Telecom and Networking, Electrical Appliances, Healthcare, Factory Automation, Machinery and Sensors, Motor Vehicle, Rolling Stock, Marine, Industrial, and Solar. In addition, with flexible production resources and global R&D teams in America, Europe, and Asia, BizLink always provides reliable interconnect solutions in close proximity to markets. BizLink also specializes in providing one-stop EMS and NPI services based on customer's requests.

At BizLink, we strive to keep collaborating closely with customers to turn their innovative ideas into reality.



Machinery & Sensors

BizLink elocab GmbHObere Lerch 34 · 91166 Georgensgmuend · Germany
T +49 9172 6980-0



machinery-sensors.bizlinktech.com smt@bizlinktech.com

m BizLink Tailor-Made Products